Please type a plus sign (+) inside this box ->	+
--	---

Sheet

of

......

PTO/SB/08A (10-96)
Approved for use through 10/31/99, OMB 0651-0031
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

SD-8476

Under the Paperwork Reduction Act of 1995, no persons are required to resp collection of information unless it contains a valid OMB control number. Complet if Known Substitute for form 1449A/PTO **Application Number** unknown INFORMATION DISCLOSURE unassigned Filing Date STATEMENT BY APPLICANT First Named Inventor Harnett Group Art Unit 2855 (use as many sheets as necessary) Examiner Name Thompson

Attorney Docket Number

	U.S. PATENT DOCUMENTS							
Examiner nitiøls			Name of Patentee or Applicant of Cited Document	Oate of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear			
12		5,221,226		Kopf-Still	04/24/200	11,49-59:12,42-6		
					1			
			_		+			
						· · · · · · · · · · · · · · · · · · ·		
					1			
					+			
				·				
					 			

				FC	REIGN PATENT DOCUME	NTS		
Examiner Cite No.1		oreign Patent Doo		Name of Patentee or	Date of Publication of	Pages, Columns, Lines, Where Relevant	T	
	Office ³	Number ⁴	Kind Cod (if known	Applicant of Cited Document	nt Cited Document MM-DD-YYYY	Passages or Relevant Figures Appear	Τ¢	
								1
								╀
								土
								\perp
					 			+-
		 -						+-
							•	\top

		\\	<u> </u>					
1	Examiner (000	ha mood	Date	8	24	05	
1	Signature	HUUK 1	MOMBLE	Considered		\mathcal{L}	00	
	ACVALUNICO, Intial II	Tonner of the second substitute of	and election in in conformance with MDED	COO Describes th	anuah ali	ation if no	la seriemene	and a

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and no considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

Please	tvoe a	olus	sign	(+)	inside this	box	-	1	
1.0000	type a	pius	a.g.	١.,		~~	7	+	ı

PTO/SB/08B (10-96)

Approved for use through 10/31/99. OMB 0651-0031

Palent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO				Complete if Known				
				Application Number	unknown			
, INF	ORMATIC	on dis	CLOSURE	Filing Date	unassigned			
STA	TEMENT	BY A	PPLICANT	First Named Inventor	Harnett			
017			i i Lio/iii/	Group Art Unit	2855			
	(use a s mai	ny sheets a	s necessary)	Examiner Name	Thompson			
Sheet	2	of	2	Attorney Docket Number	SD-8476			

L		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), little of the article (when appropriate), little of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T,
93		JIN WU, WILLY SANSEN, Electrochemical time of flight flow sensor, Sensore and Actuators A 97-98 (2002) 68- Elsevier	74
12		DAISUKE SATAKE et al., A sensor for blood cell counte using MEMS technology, Sensors and Actuators, B 83	r
'		(2002) 77-81, Elsevier	
		·	
		,	
	_		_

Exam(ner Date Signature Considered

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

8urden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.